

# DIGITAL LEVEL



Long Distance  
Fast Measurement



Inductive  
Measuring  
Button



Illuminated  
Bubble



1000 Group  
Memory



# Electronic measurement range up to 100 meters

The measuring range is 2-100 meters under good weather conditions and good visibility.

## **Electronic measurement mode:** (with barcode staff)

One-way measurement of 100 meters, with accuracy at the millimeter level.

## **Optical measurement mode:**

The naked eye can only observe objects at the millimeter scale about 50 meters away.



# One-click measurement, data output in 3 seconds

Aim at the target and touch the inductive measurement button to get quick readings.

Inductive measurement buttons avoid instrument vibration and improve measurement accuracy



# Millimeter level measurement accuracy

Digital Reading

1km double-run measurement error 1.0mm

Manual Reading

1km double-run measurement error 1.5mm

**32x**

Magnification

**1.0mm**

Digital Reading Accuracy

**1.5mm**

Manual Reading Accuracy



# Built-in large-capacity rechargeable lithium battery

The instrument can be used continuously for more than 20 hours



Built-in 2200 mAh lithium battery

The instrument data memory up to  
**1000 groups**

Data can be transferred through USB interface, convenient and fast

**DAL32**

**USB Port**

(Battery Charge / Data transfer)



# PARTS DETAILS



## 01 Bubble with light

The bubble is illuminated  
The instrument can be  
leveled even in dark places

## 02 32X Objective Lens

40mm objective lens  
diameter, clear image  
and short viewing distance



03

## Rubber Anti-slip Focusing Knob



04

## Sturdy Base Plate

The base-plate made with  
sturdy material. Highly resistant  
to impact, falling, and wear.  
Long-lasting durability.



# 32X DIGITAL LEVEL

# Standard Packing

