

DIGITAL LEVEL



Long Distance
Fast Measurement



Inductive
Measuring
Button



Illuminated
Bubble



1000 Group
Memory



Electronic measurement range up to 100 meters

The measuring range is 2-100 meters under good weather conditions and good visibility.

Electronic measurement mode: (with barcode staff)

One-way measurement of 100 meters, with accuracy at the millimeter level.

Optical measurement mode:

The naked eye can only observe objects at the millimeter scale about 50 meters away.



One-click measurement, data output in 3 seconds

Aim at the target and touch the inductive measurement button to get quick readings.

Inductive measurement buttons avoid instrument vibration and improve measurement accuracy



Millimeter level measurement accuracy

Digital Reading

1km double-run measurement error 1.0mm

Manual Reading

1km double-run measurement error 1.5mm

32x

Magnification

1.0mm

Digital Reading Accuracy

1.5mm

Manual Reading Accuracy



Built-in large-capacity rechargeable lithium battery

The instrument can be used continuously for more than 20 hours



Built-in 2200 mAh lithium battery

The instrument data memory up to **1000 groups**

Data can be transferred through USB interface, convenient and fast

DAL32

USB Port

(Battery Charge / Data transfer)



PARTS DETAILS



01 Bubble with light

The bubble is illuminated
The instrument can be leveled even in dark places

02 32X Objective Lens

40mm objective lens diameter, clear image and short viewing distance



03


Rubber Anti-slip Focusing Knob



04

Sturdy Base Plate

The base-plate made with sturdy material. Highly resistant to impact, falling, and wear. Long-lasting durability.



32X DIGITAL LEVEL

Standard Packing

